

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 31/53, 9/00, 9/20	A1	(11) International Publication Number: WO 96/17611 (43) International Publication Date: 13 June 1996 (13.06.96)
(21) International Application Number: PCT/GB95/02865 (22) International Filing Date: 7 December 1995 (07.12.95) (30) Priority Data: 9424766.5 7 December 1994 (07.12.94) GB (71) Applicant (for all designated States except US): THE WELL-COME FOUNDATION LIMITED [GB/GB]; Glaxo Wellcome House, Berkeley Avenue, Greenford, Middlesex UB6 0NN (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): HISKETT, Simon, Philip [GB/GB]; Temple Hill, Dartford, Kent DA1 5AH (GB). - TAYLOR, Susan, Ann [GB/GB]; Temple Hill, Dartford, Kent DA1 5AH (GB). (74) Agent: WOODS, Geoffrey, Corlett; J.A. Kemp & Co., 14 South Square, Gray's Inn, London WC1R 5LX (GB).		(81) Designated States: AL, AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, LS, MW, SD, SZ, UG). Published <i>With international search report.</i>
(54) Title: PHARMACEUTICAL COMPOSITION COMPRISING LAMOTRIGINE (57) Abstract A pharmaceutical formulation comprises: (a) from 0.5 to 50 % by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof, (b) from 15 to 50 % by weight of lactose, (c) from 15 to 50 % by weight of starch, (d) from 0.5 to 15 % by weight of crystalline cellulose, and (e) from 5 to 15 % by weight of polyvinylpyrrolidone, and which is in the form of a free-flowing powder of granules having the following properties: (i) no granules have a particle size of greater than 850 μ m, (ii) at least 90 % by weight of the granules have a particle size of from 75 to 850 μ m, (iii) the granules disintegrate within 30 minutes according to the Disintegration Test of The Pharmacopoeia of Japan, twelfth edition, 1991, and (iv) at least 90 % by weight of the lamotrigine or lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991.		

6

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LJ	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

- 1 -

PHARMACEUTICAL COMPOSITION COMPRISING LAMOTRIGINE

The present invention relates to a pharmaceutical formulation of lamotrigine and pharmaceutically acceptable acid addition salts thereof. The invention also relates to the preparation of such a formulation.

Lamotrigine is 3,5-diamino-6-(2,3-dichlorophenyl)-1,2,4-triazine. It is disclosed in EP-A-0021121. Lamotrigine is useful for the treatment of epilepsy. No powder formulation of lamotrigine or one of its salts is currently available.

Pharmaceutical formulations in powder form can be prepared by a fluid bed granulating process or spray granulation. However, such processes represent a complex interaction of processing variables.

We have now prepared a number of powder formulations of lamotrigine. Only one type of formulation, however, proved to be entirely satisfactory. Accordingly, the present invention provides a pharmaceutical formulation which comprises:

(a) from 0.5 to 50% by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof,

(b) from 15 to 50% by weight of lactose,

(c) from 15 to 50% by weight of starch,

(d) from 0.5 to 15% by weight of crystalline cellulose, and

(e) from 5 to 15% by weight of polyvinylpyrrolidone,

and which is in the form of a free-flowing powder of granules having the following properties:

(i) no granules have a particle size of greater than 850 μ m,

(ii) at least 90% by weight of the granules have a particle size of from 75 to 850 μ m,

(iii) the granules disintegrate within 30 minutes according to the Disintegration Test of The Pharmacopoeia of Japan, twelfth edition, 1991, and

(iv) at least 90% by weight of the lamotrigine or

- 2 -

lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991.

5 The formulation of the invention is provided by a process which comprises spray-granulating:

- (a) from 0.5 to 50% by weight of lamotrigine or a lamotrigine salt,
 - (b) from 15 to 50% by weight of lactose,
 - 10 (c) from 15 to 50% by weight of starch, and
 - (d) from 0.5 to 15% by weight of crystalline cellulose,
- in the presence of, as a binder:

- (e) from 5 to 15% by weight of
- 15 polyvinylpyrrolidone.

The granules of which the powder of the invention is composed are agglomerates. The lamotrigine or lamotrigine salt is provided on particles of lactose and starch which each act as an adsorbent bulking agent. A homogenous

20 powder mixture comprising components (a) to (d) may be formed as a pre-blend prior to starting the spray granulation procedure. The presence of the lactose aids the formation of this pre-blend. The crystalline cellulose confers disintegrant and dissolution properties on the

25 granules. The polyvinylpyrrolidone acts as a binder.

Any suitable lamotrigine salt which is a pharmaceutically acceptable acid addition salt can be used. Preferred salts are the methanesulphonate and isethionate salts. These salts can be made by reacting lamotrigine as

30 the free base with the appropriate acid.

Preferably up to 98% by weight of the granules of the invention have a particle size of from 75 to 850 μ m. At least 92% by weight of the granules may have such a particle size, for example from 92 to 95% by weight of the

35 granules. Preferably no more than 5% by weight of the granules have a particle size greater than 500 μ m, for example no more than 3% by weight. Desirably, no granules

- 3 -

at all have a particle size greater than 500 μ m. Particle size is determined by the Particle Size Distribution Test for Powders, The Pharmacopoeia of Japan, twelfth edition, 1991.

5 Typically, at least 90% by weight of the lamotrigine or lamotrigine salt in the granules is dissolved within 15 minutes according to the Dissolution Test, method 2 (paddle method). The amount of lamotrigine dissolved is determined by an appropriate physicochemical technique, for example by
10 ultraviolet (UV) analysis or by high pressure liquid chromatography (hplc).

The powder of the invention is generally dust-free. It is preferably white although it may be white to off-white. A colourant could be present, though. It is free-
15 flowing, as may be determined by the eye. Typically the bulk density of the powder is from 0.3 to 0.6 g/cm³, for example from 0.35 to 0.50 g/cm³ or from 0.36 to 0.40 g/cm³. Residual moisture levels are generally from 0.5 to 5.0% by weight, for example from 1 to 3% by weight.

20 Preferred formulations contain from 0.5 to 30% by weight of lamotrigine or a lamotrigine salt. Formulations may thus contain from 0.5 to 20% by weight, for example from 0.5 to 15% by weight or from 1 to 10% by weight, of lamotrigine or a lamotrigine salt. Particularly preferred
25 are formulations containing 1%, 2%, 5% or 10% by weight of lamotrigine or a lamotrigine salt.

The amounts of lactose and starch in the formulations are greater the smaller the amount of lamotrigine or lamotrigine salt that is present. The starch is preferably
30 corn starch. Suitable amounts of lactose and starch may be from 15 to 45% by weight, for example from 30 to 45% by weight or from 35 to 45% by weight or from 40 to 45% by weight. Preferably the amount of lactose is 70 to 130%, for example 90 to 110%, the amount of starch. Typically,
35 the amounts of lactose and starch are the same.

The powders of the invention may contain from 3 to 8% by weight, for example from 3.5 to 6% by weight, of

- 4 -

crystalline cellulose. Powders containing 5% by weight of crystalline cellulose are preferred.

Preferably the amount of polyvinylpyrrolidone present is from 5 to 10% by weight, for example from 6 to 9% by weight, of the formulation. Powders containing 8% by weight of polyvinylpyrrolidone are preferred.

A preferred formulation of the invention comprises:

- (a') from 0.5 to 15% by weight of lamotrigine or a lamotrigine salt,
 - 10 (b') from 35 to 45% by weight of lactose,
 - (c') from 35 to 45% by weight of starch,
 - (d') from 3.5 to 6% by weight of crystalline cellulose, and
 - (e') from 6 to 9% by weight of polyvinylpyrrolidone.
- 15 An especially preferred formulation comprises 1% by weight of lamotrigine, 43% by weight of each of lactose and starch, 5% by weight of crystalline cellulose and 8% by weight of polyvinylpyrrolidone. Another especially preferred formulation comprises 10% by weight of
- 20 lamotrigine, 38.5% by weight of each of lactose and starch, 5% by weight of crystalline cellulose and 8% by weight of polyvinylpyrrolidone.

A formulation of the invention is prepared by a process which comprises spray-granulating the lamotrigine or lamotrigine salt, lactose, starch, crystalline cellulose in the presence of, as a binder, the polyvinylpyrrolidone. The lamotrigine salt, lactose, starch and crystalline cellulose are each provided as powders having particle sizes, for example average particle sizes, well below 850 μ m and, indeed, below 200 μ m. These four components may be pre-blended as a uniform mixture prior to the spray granulation step.

A solution of polyvinylpyrrolidone is prepared as a binder solution. The solution may be an aqueous or aqueous/ethanolic solution. A proportion of the polyvinylpyrrolidone, for example from 30 to 60% by weight or more especially 50% by weight, may be pre-blended with

- 5 -

the lamotrigine or lamotrigine salt, lactose, starch and crystalline cellulose.

A fluid bed granulation process is employed to obtain the powder of the invention. A rotary-type fluid
5 granulator is typically used. The lamotrigine or lamotrigine salt, lactose, starch and crystalline cellulose are introduced in powder form into the granulator, for example as a pre-blended mixture. The binder solution is sprayed onto the fluidising powder. The particles of the
10 fluidising powder adhere to one another. The desired granules form. The conditions under which granulation is effected can be adjusted as appropriate.

The granules thus obtained may be sieved to ensure that the appropriate particle size requirements are met.
15 Thus, the granules may be sieved through a sieve of 850 μ m mesh size to ensure no granules having a particle size of greater than 850 μ m are present. Further, the granules may be sieved through a sieve of 500 μ m mesh size to ensure that no more than 5% by weight of the granules have a particle
20 size greater than 500 μ m. Yet further, the granules may be sieved through a sieve of 75 μ m mesh size. Indeed, the granules obtained from the granulator may be passed to a sieve stack fitted with 850, 500 and 75 μ m sieves. Oversized and undersized materials are rejected.

25 The lamotrigine or lamotrigine salt employed as a starting material typically has a particle size of 125 μ m or less. The starting lactose generally has a particle size of below 250 μ m, especially 200 μ m or less such as from 50 to 200 μ m. The lactose may be an anhydrous lactose, for
30 example direct compression lactose such as Lactose DCL21, or lactose monohydrate.

The particle sizes of Lactose DCL21 and another grade of lactose that can be used, Lactose DMV200, are as follows:

- 6 -

<u>DCL 21</u>		<u>DCL 200 II</u>	
	<u>Approx</u>		<u>Approx</u>
5	> 50 μ m	> 45 μ m	40-50%
	> 150 μ m	> 63 μ m	17-22%
	> 250 μ m	> 100 μ m	1-7%
	> 355 μ m	> 160 μ m	0-1%
		> 250 μ m	0%

The starch may be rice, wheat or corn starch. Corn
 10 starch is alternatively termed maize starch and is
 preferred. A powder of starch of a particle size of from
 30 to 150 μ m is typically used as a starting material. The
 starch may be a partially pregelatinised starch such as
 Starch 1500 manufactured by Colorcon, Indianapolis, Indiana
 15 46218, US, or a fully gelatinised starch such as National
 1551.

The crystalline cellulose typically is a powder of,
 for example, an average particle size of from 40 to 100 μ m
 such as from 50 to 90 μ m. A suitable crystalline cellulose
 20 is Avicel PH 102 having an average particle size of 90 μ m.
 Crystalline cellulose is alternatively called
 microcrystalline cellulose.

Any suitable polyvinylpyrrolidone capable of acting
 as a binder can be employed. The polyvinylpyrrolidone may
 25 be a linear polymer of 1-vinyl-2-pyrrolidone having an
 average molecular weight of about 40000, such as Povidone
 K30. Alternatively, a linear polymer of 1-vinyl-2-
 pyrrolidone having an average molecular weight of about
 1200000, such as Povidone K90, may be employed.

30 The powder that is produced by spray granulation and,
 if necessary, subsequent sieving is then introduced into a
 container which is then closed. The container may be
 sealed. It may be a single-dose or multi-dose container.
 The container may be jar, bag or sachet. Sachets,
 35 especially foil sachets, are particularly suitable.

The following Examples illustrate the invention.

- 7 -

Example 1

1 Kg of each of five powders was prepared by spray granulation. The formula for each powder is as follows:

5 Formula A (comparison)

Lamotrigine 125 μ m 1.0% by weight
Lactose Fastflo 91.0% by weight
Povidone K30 British
Pharmacopoeia (BP) 8.0% by weight

10

Lamotrigine 125 μ m is lamotrigine having particle sizes up to 125 μ m. Lactose Fastflo is an anhydrous spray-dried lactose manufactured by Wisconsin Dairies, Baraboo, Wisconsin 53913, U.S..

15

Formula B (comparison)

Lamotrigine 125 μ m 1.0% by weight
Lactose Fastflo 43.0% by weight
Lactose DCL21 43.0% by weight
20 Povidone K30 BP 8.0% by weight
Hydroxypropylcellulose low substitution
(LHPC-11) 5.0% by weight

Formula C (invention)

25 Lamotrigine 125 μ m 1.0% by weight
Lactose DCL21 43.0% by weight
Pregelatinised Maize (Corn) Starch
BP/USNF (Starch 1500) 43.0% by weight
Microcrystalline cellulose BP
30 (Avicel PH 102) 5.0% by weight
Povidone K30 BP 8.0% by weight

Formula D (comparison)

35 Lamotrigine 125 μ m 1.0% by weight
Pregelatinised Maize (Corn) Starch
BP/USNF (Starch 1500) 86.0% by weight
Hydroxypropylcellulose

- 8 -

low substitution (LHPC-11) 5.0% by weight
Povidone K30 BP 8.0% by weight

Formula E (comparison)

5 Lamotrigine 125 μ m 1.0% by weight
Pregelatinised Maize Starch
BP/USNF (Starch 1500) 91.0% by weight
Povidone K30 BP 8.0% by weight

10 Formula C was spray-granulated as follows as 2 x 5 kg
sub-lots:

1. A Povidone binder solution was prepared and
stored at room temperature.

2. The pregelatinised starch was passed through a
15 250 μ m sieve to remove any large agglomerates.

3. The lamotrigine, lactose, starch and Avicel
PH102 were pre-blended in a Collette mixer as a
precautionary measure to facilitate uniform lamotrigine
distribution.

20 4. The powder was spray-granulated in a Glatt
GPCG5 granulator using a Schlick spray gun of nozzle
aperture 1.2mm utilising atomising air at a pressure of 2
bars. The binder solution pumping rate was approximately
90ml per minute. The inlet air temperature was controlled
25 at 72°C and an air volume of between 150-250m³ per hour was
utilised to provide sufficient fluidisation to allow drying
and granulation to occur simultaneously. The drier bags
were shaken for approximately 6 seconds at 1.5 minute
intervals to remove fine powder.

30 5. During granulation the product temperature was
recorded. This temperature was typically 32-34°C but once
spraying had been completed this rose shortly afterwards to
45-50°C indicating that final drying was occurring. The
overall process time was of the order of 1 hour per sub-
35 lot.

6. The two sub-lots of granules were then blended
in a large polythene bag and finally sieved through a

- 9 -

Russell Finex sieve using screen of 710 μ m and 100 μ m to remove under and over-sized components of the granules.

Formulae A, B, D and E were spray-granulated in analogous fashion. Powders of free-flowing white granules were obtained in the case of formulae A to C and E. Formula D gave a powder which was severely overmassed. A substantial proportion of particles were oversize. This powder was not therefore satisfactory and was not tested further. The properties of the powders obtained from formulae A to C and E are as follows:

Formula	A	B	C	E
Yield %	91.8	80.5	87.4	86.3
Moisture %	0.68	1.21	2.46	0.65
Untamped Bulk Density g/cm ³	0.40	0.53	0.37	0.50
% by weight of granules over 850 μ m in size	0%	0%	0%	0%
% by weight of granules over 500 μ m in size	4.8	1.2	8.1	2.0
% by weight of granules over 75 μ m in size	94.8	97.8	92.5	97.4
Disintegration Test	Complies	Complies	Complies	Complies

* Disintegration Test, The Pharmacopoeia of Japan, twelfth edition, 1991.

Initially, 9.8% by weight of the powder obtained from formula B did not pass through a 500 μ m sieve. The powder was therefore resieved through a 500 μ m sieve. Subsequent sieve analysis showed that only 1.2% of the powder then did not pass through a 500 μ m test sieve. Different 500 μ m sieves were used for the resieving and the subsequent testing, which accounts for why some powder still did not

- 10 -

pass through the 500 μ m test sieve.

Example 2

5 General

The effect of temperature, humidity and artificial light was studied on the stability of the powders obtained in Example 1 according to formulae A to C and E. The powders were stored for two months at 40°C and 75% relative humidity (R.H.) in both amber glass bottles closed with plastic caps and open amber glass bottles. They were also stored at 50°C and 60°C for 2 months in amber glass bottles closed with plastic caps. Further, they were stored at 25°C under artificial light conditions (1000 lux) for up to 1.2 million lux.hr total irradiation.

Test Items

The following parameters were monitored to evaluate the stability of the formulations:

20

1. Appearance

2. Loss on drying

Conditions of 60°C in vacuo for 3 hours were employed for formulae A and B. Conditions of 60°C in vacuo for 6 hours were employed for formulae C and E. These test conditions were decided with reference to the test conditions of lactose and starch in The Pharmacopoeia of Japan, twelfth edition, 1991.

30

3. Assay and related substances

A lamotrigine assay and a purity test were conducted by high pressure liquid chromatography (hplc).

35 4. Dissolution test

Dissolution of the powders was studied using the Dissolution Test, method 2 (paddle method) of The

- 11 -

Pharmacopoeia of Japan, twelfth edition, 1991. The time points of sampling were 15, 30 and 45 min and 0.1 N hydrochloric acid was used as the test solution. Lamotrigine was detected by ultraviolet absorption.

5

Results

1. Appearance

Under 40°C and 75% R.H., all of the powders in open glass bottles formed lumps in the high humidity and had turned pale yellowish white in colour. The colour of, in particular, the powder of formula B easily changed under severe conditions compared to the colour of the other particles. Results are shown in Tables 1 to 5 below.

15

2. Loss on drying

Formula E was the most hygroscopic powder. The results are shown in Tables 1 to 5.

20 3. Assay and related substances

From the degradation point of view, the most stable powder was that obtained from formula E and the most unstable powder was that from formula A under the high humidity conditions such as 40°C, 75% R.H., open glass bottle conditions.

25

4. Dissolution test

All of the formulations showed rapid dissolution. More than 90% of the lamotrigine in each powder was dissolved within 15 minutes.

30

- 12 -

Table 1: Granules Stored under 40°C, 75% R.H. Conditions
(Container: Closed Glass Bottles).

Test Items	Formula	Storage Period		
		Initial	1 month	2 months
Appearance	A	White powder	White powder	White powder
	B	White powder	White powder	Pale yellowish white powder
	C	White powder	White powder	White powder
	E	White powder	White powder	White powder
Loss on Drying (n=3, % by weight)	A	1.15 ± 0.10*	1.40 ± 0.01	1.23 ± 0.02
	B	1.63 ± 0.16	1.67 ± 0.02	1.81 ± 0.07
	C	4.29 ± 0.12	4.98 ± 0.17	4.78 ± 0.01
	E	7.27 ± 0.16	7.44 ± 0.07	7.24 ± 0.02

* : Mean ± S.D.

Table 2: Granules Stored under 40°C, 75% R.H. Conditions
(Container: Open Glass Bottles).

Test Items	Formula	Storage Period		
		Initial	1 month	2 months
Appearance	A	White powder	Pale yellowish white cake	Pale yellowish white cake
	B	White powder	Pale yellowish white cake	Pale yellowish white cake
	C	White powder	Pale yellowish white cake	Pale yellowish white cake
	E	White powder	Pale yellowish white cake	Pale yellowish white cake
Loss on Drying (n=3, % by weight)	A	1.15 ± 0.10*	1.03 ± 0.31	2.15 ± 0.02
	B	1.63 ± 0.16	1.05 ± 0.03	2.65 ± 0.03
	C	4.29 ± 0.12	3.69 ± 0.20	8.24 ± 0.09
	E	7.27 ± 0.16	6.66 ± 0.24	14.32 ± 0.03

* : Mean ± S.D.

- 13 -

Table 3: Granules Stored under 50°C Condition
(Container: Closed Glass Bottles).

5

Test Items	Formula	Storage Period		
		Initial	1 month	2 months
Appearance	A	White powder	White powder	White powder
	B	White powder	White powder	White powder
	C	White powder	White powder	White powder
	E	White powder	White powder	White powder
10 Loss on Drying (n=3, % by weight)	A	1.15 ± 0.10*	0.94 ± 0.11	0.59 ± 0.15
	B	1.63 ± 0.16	1.57 ± 0.19	1.05 ± 0.13
	C	4.29 ± 0.12	4.12 ± 0.11	3.76 ± 0.15
	E	7.27 ± 0.16	7.04 ± 0.12	6.57 ± 0.14

* : Mean ± S.D.

15

Table 4: Granules Stored under 60°C Condition
(Container: Closed Glass Bottles).

20

Test Items	Formula	Storage Period		
		Initial	1 month	2 months
Appearance	A	White powder	White powder	White powder
	B	White powder	Pale yellowish white powder	Pale yellowish white powder
	C	White powder	Pale yellowish white powder	Pale yellowish white powder
	E	White powder	White powder	White powder
25 Loss on Drying (n=3, % by weight)	A	1.15 ± 0.10*	0.58 ± 0.11	0.42 ± 0.03
	B	1.63 ± 0.16	0.75 ± 0.14	0.64 ± 0.08
	C	4.29 ± 0.12	3.61 ± 0.11	3.13 ± 0.04
	E	7.27 ± 0.16	6.71 ± 0.17	6.03 ± 0.03

* : Mean ± S.D.

- 14 -

Table 5: Granules Stored under 25°C, 1000 lux
Irradiation (Container: Glass Dishes).

5

Test Items	Formula	Storage Period		
		Initial	0.6 million lux.hr	1.2 million lux.hr
10 Appearance	A	White powder	White powder	White powder
	B	White powder	White powder	White powder
	C	White powder	White powder	White powder
	E	White powder	White powder	White powder
Loss on Drying (n=3, % by weight)	A	1.15 ± 0.10*	-**	1.43 ± 0.06
	B	1.63 ± 0.16	-	1.90 ± 0.03
	C	4.29 ± 0.12	-	5.34 ± 0.05
	E	7.27 ± 0.16	-	9.03 ± 0.07

15 * : Mean ± S.D.
 ** : Not examined

Conclusion

20 Formula A (comparison)

The powder of this formulation was stable under high temperature conditions without humidity. Under high humidity conditions, however, it became slightly unstable.

25 Formula B (comparison)

The powder of this formulation was stable under high temperature conditions without humidity. However, it changed colour the most easily. Under high humidity conditions it became slightly unstable.

- 15 -

Formula C (invention)

The powder of this formulation was stable under high temperature conditions without humidity. It was also stable under high humidity conditions.

5

Formula E (comparison)

The powder of this formulation was stable under high temperature conditions without humidity. It was also stable under high humidity conditions. Under high humidity conditions, however, it absorbed the most moisture.

10

Example 3

Powders were prepared by spray granulation of each of the following formulae:

15

	<u>Formula 1</u>	<u>Formula 2</u>
Lamotrigine 125 μ m	1.0% by weight	10.0% by weight
Lactose, DMV 200 mesh	43.0% by weight	38.50% by weight
Starch 1500	43.0% by weight	38.50% by weight
20 Avicel PH102	5.0% by weight	5.0% by weight
Povidone K30	8.0% by weight	8.0% by weight

50g of lamotrigine 125 μ m and 2150g of each of Lactose DMV 200 mesh and Starch 1500 (Formula 1) or 500g of
25 lamotrigine 125 μ m and 1925g of each of Lactose DMV 200 mesh and Starch 1500 (Formula 2) were mixed together with 250g of Avicel PH102 and 200g of Povidone K30 in a Collette Planetary mixer for 3 minutes. An approximately uniform pre-blend of powders is thus produced.

30 Separately, 200g of Povidone K30, the second half of the Povidone K30, was dissolved in 600ml of demineralised water. That was then made up to 1000ml to give a 20% solids solution. This was used as the granulating solution.

35 The pre-blend of powders was added to a Freund SFC rotor granulator. This is a type of fluid bed granulator and provides a rotary type fluidization action on powders in order to achieve a suitable granule distribution. The

- 16 -

granulating solution was sprayed onto the fluidizing powders as a fine mist via an air type spray gun system. The addition of the granulating solution in this way resulted in the powders adhering together to form suitably sized granule particles. The process was continued until all the granulating solution had been added and the granules were of a suitable size.

More especially the following parameters were used on the Freund SFC granulator:

- 10 1) Inlet air temperature 80°C
- 2) Rotor speed 300 rpm
- 3) Agitator speed 450rpm
- 4) Chopper speed 1500rpm
- 5) Inlet air Volume 2.9m³/hr
- 15 6) Atomizing air pressure 4kg/cm²
- 7) Spray Nozzle Size 1.8mm
- 8) Spray rate 45g/min

Using these parameters the required granules were produced employing:

- 20 1) Inlet air temperature 75-80°C
- 2) Outlet air temperature 28-32°C
- 3) Product temperature 28-35°C
- 4) Air Volume 2.9-3.0m³/hr
- 5) Spray rate 40-43g/min
- 25 6) Time to granulate powders 22min
- 7) Time to dry granule 11 min

The prepared granules were then passed through a sieve fitted with 850, 500 and 75µm sieves. The granules were sieved to the desired particle size requirements. In particular, no granules had a particle size greater than 850µm. At least 90% by weight of the granules had a particle size of from 75 to 850µm. Not more than 5% by weight of the granules had a particle size of greater than 500µm. The oversized and undersized granules were used.

35 Each powder has the following further properties:

- (i) the granules disintegrate within 30 minutes according to the Disintegration Test of The Pharmacopoeia

- 17 -

of Japan, twelfth edition, 1991, and

(ii) at least 90% by weight of the lamotrigine
dissolves within 30 minutes according to the Dissolution
Test, method 2 (paddle method) of The Pharmacopoeia of
5 Japan, twelfth edition, 1991.

- 18 -

CLAIMS

1. A pharmaceutical formulation which comprises:
- (a) from 0.5 to 50% by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof,
 - 5 (b) from 15 to 50% by weight of lactose,
 - (c) from 15 to 50% by weight of starch,
 - (d) from 0.5 to 15% by weight of crystalline cellulose, and
 - (e) from 5 to 15% by weight of
 - 10 polyvinylpyrrolidone,
- and which is in the form of a free-flowing powder of granules having the following properties:
- (i) no granules have a particle size of greater than 850 μ m,
 - 15 (ii) at least 90% by weight of the granules have a particle size of from 75 to 850 μ m,
 - (iii) the granules disintegrate within 30 minutes according to the Disintegration Test of The Pharmacopoeia of Japan, twelfth edition, 1991, and
 - 20 (iv) at least 90% by weight of the lamotrigine or lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991,
- 25 2. A formulation according to claim 1, which comprises:
- (a') from 0.5 to 15% by weight of lamotrigine or a lamotrigine salt,
 - (b') from 35 to 45% by weight of lactose,
 - 30 (c') from 35 to 45% by weight of corn starch,
 - (d') from 3.5 to 6% by weight of crystalline cellulose, and
 - (e') from 6 to 9% by weight of polyvinylpyrrolidone.
3. A formulation according to claim 2, which
- 35 comprises 1% by weight of lamotrigine, 43% by weight of each of lactose and starch, 5% by weight of crystalline cellulose and 8% by weight of polyvinylpyrrolidone.

- 19 -

4. A formulation according to claim 2, which comprises 10% by weight of lamotrigine 38.5% by weight of each of lactose and starch, 5% by weight of crystalline cellulose and 8% by weight of polyvinylpyrrolidone.

5 5. A formulation according to any one of the preceding claims, wherein not more than 5% by weight of the granules have a particle size of greater than 500 μ m.

6. A formulation according to any one of the preceding claims, wherein the powder has a bulk density of
10 from 0.36 to 0.40 g/cm³.

7. A formulation according to any one of the preceding claims, wherein the starch is corn starch.

8. A process for the preparation of a pharmaceutical formulation which comprises

15 (a) from 0.5 to 50% by weight of lamotrigine or a pharmaceutically acceptable acid addition salt thereof,

(b) from 15 to 50% by weight of lactose,

(c) from 15 to 50% by weight of starch,

(d) from 0.5 to 15% by weight of crystalline
20 cellulose, and

(e) from 5 to 15% by weight of polyvinylpyrrolidone,

and which is in the form of a free-flowing powder of granules having the following properties.

25 (i) no granules have a particle size of greater than 850 μ m,

(ii) at least 90% by weight of the granules have a particle size of from 75 to 850 μ m,

(iii) the granules disintegrate within 30 minutes
30 according to the Disintegration Test of The Pharmacopoeia of Japan, twelfth edition, 1991, and

(iv) at least 90% by weight of the lamotrigine or lamotrigine salt in the granules dissolves within 30 minutes when the granules are subjected to the Dissolution
35 Test, method 2 (paddle method) of The Pharmacopoeia of Japan, twelfth edition, 1991,
which process comprises spray-granulating the lamotrigine

- 20 -

or lamotrigine salt, lactose, corn starch and crystalline cellulose in the presence of, as a binder, polyvinylpyrrolidone.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB 95/02865

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 A61K31/53 A61K9/00 A61K9/20		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 6 A61K		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	FR,A,2 782 149 (RHONE-POULENC RORER S.A.) 9 September 1994 see page 2, line 23 - line 27 see examples A,B ---	1-8
Y	WO,A,94 13296 (RHONE-POULENC RORER S.A.) 23 June 1994 see page 3, line 26 - line 30 see examples A,B ---	1-8
Y	WO,A,94 21260 (THE WELLCOME FOUNDATION LIMITED) 29 September 1994 see example 4 ---	1-8
Y	WO,A,94 21261 (THE WELLCOME FOUNDATION LIMITED) 29 September 1994 see example 2 ---	1-8
-/--		
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 5 March 1996		Date of mailing of the international search report 12. 03. 96
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl, Fax (+ 31-70) 340-3016		Authorized officer Scarponi, U

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB 95/02865

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO,A,93 16700 (THE WELLCOME FOUNDATION LIMITED) 2 September 1993 see example 8 ---	1-8
Y	FR,A,2 700 114 (RHONE-POULENC RORER S.A.) 8 July 1994 see claims see examples A,B ---	1-8
Y	WO,A,94 20108 (RHONE-POULENC RORER S.A.) 15 September 1994 see examples A,B ---	1-8
A	GB,A,2 278 057 (THE WELLCOME FOUNDATION LIMITED) 23 November 1994 see the whole document -----	1-8

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 95/02865

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR-A-2702149	09-09-94	NONE	
-----	-----	-----	-----
WO-A-9413296	23-06-94	FR-A- 2699077	17-06-94
		AU-B- 5653994	04-07-94
		AU-B- 5654094	04-07-94
		AU-B- 5702094	04-07-94
		CA-A- 2151601	23-06-94
		CA-A- 2151603	23-06-94
		CA-A- 2151604	23-06-94
		CZ-A- 9501545	15-11-95
		CZ-A- 9501546	15-11-95
		CZ-A- 9501547	15-11-95
		EP-A- 0674520	04-10-95
		EP-A- 0674512	04-10-95
		EP-A- 0674518	04-10-95
		WO-A- 9413298	23-06-94
		WO-A- 9413288	23-06-94
		FR-A- 2699079	17-06-94
		FR-A- 2699078	17-06-94
		NO-A- 952228	06-06-95
		NO-A- 952229	06-06-95
		NO-A- 952230	06-06-95
		PL-A- 309346	02-10-95
		PL-A- 309347	02-10-95
		PL-A- 309348	02-10-95
		ZA-A- 9309399	22-08-94
		ZA-A- 9309400	19-08-94
		ZA-A- 9309401	19-08-94
-----	-----	-----	-----
WO-A-9421260	29-09-94	AU-B- 6217694	11-10-94
		EP-A- 0689439	03-01-96
-----	-----	-----	-----
WO-A-9421261	29-09-94	AU-B- 6217794	11-10-94
		EP-A- 0689440	03-01-96
-----	-----	-----	-----
WO-A-9316700	02-09-93	AU-B- 3509293	13-09-93
		EP-A- 0626851	07-12-94
		GB-A,B 2277265	26-10-94
		JP-T- 7503968	27-04-95
-----	-----	-----	-----

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 95/02865

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR-A-2700114	08-07-94	FR-A- 2700117	08-07-94
		AU-B- 5818894	15-08-94
		AU-B- 5818994	15-08-94
		AU-B- 5819094	15-08-94
		CZ-A- 9501764	13-12-95
		CZ-A- 9501765	13-12-95
		EP-A- 0678023	25-10-95
		EP-A- 0678026	25-10-95
		FR-A- 2700115	08-07-94
		WO-A- 9415601	21-07-94
		WO-A- 9415610	21-07-94
		WO-A- 9415607	21-07-94
		NO-A- 952309	12-06-95
		NO-A- 952310	12-06-95
		PL-A- 309594	30-10-95
		PL-A- 309596	30-10-95
		SK-A- 86795	08-11-95
		ZA-A- 9400026	11-08-94
		ZA-A- 9400028	11-08-94
		ZA-A- 9400032	11-08-94
WO-A-9420108	15-09-94	FR-A- 2702148	09-09-94
		AU-B- 6143794	26-09-94
		AU-B- 6143894	26-09-94
		AU-B- 6143994	26-09-94
		CA-A- 2154571	15-09-94
		CA-A- 2154572	15-09-94
		CA-A- 2154573	15-09-94
		CZ-A- 9502259	13-12-95
		CZ-A- 9502260	13-12-95
		CZ-A- 9502261	13-12-95
		EP-A- 0687176	20-12-95
		EP-A- 0687179	20-12-95
		EP-A- 0687177	20-12-95
		WO-A- 9420103	15-09-94
		WO-A- 9420110	15-09-94
		NO-A- 953370	28-08-95
		NO-A- 953371	28-08-95
		NO-A- 953372	28-08-95
		PL-A- 310474	11-12-95

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 95/02865

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A-9420108		PL-A- 310475	11-12-95
		PL-A- 310476	11-12-95

GB-A-2278057	23-11-94	AT-T- 133068	15-02-96
		AU-B- 653203	22-09-94
		AU-B- 1186392	07-09-92
		AU-B- 659581	18-05-95
		AU-B- 6745494	08-09-94
		BE-A- 1004461	24-11-92
		CZ-A- 9301082	19-01-94
		DE-T- 4290300	07-10-93
		DE-D- 69207656	29-02-96
		EP-A- 0522128	13-01-93
		FR-A- 2671970	31-07-92
		WO-A- 9213527	20-08-92
		GB-A,B 2257363	13-01-93
		HU-A- 67019	30-01-95
		JP-T- 6504544	26-05-94
		LU-A- 88323	05-01-94
		NL-T- 9220009	01-11-93
		SK-A- 81793	09-03-94
		EP-A- 0685231	06-12-95
